

H/C

Commonwealth of the Philippines
Department of the Interior
QUEZON CITY
City Council

ORDINANCE Numbered 94 +

ORDINANCE PROVIDING THE MINIMUM REQUIREMENTS FOR
THE ACCEPTANCE OF DONATIONS OF PRIVATE ROADS IN
QUEZON CITY

Be it ordained by the City Council of Quezon City,

Section 1. Any subdivision road in Quezon City offered for donation may be accepted by the City Council on recommendation of the City Engineer, provided, that the following minimum requirements are satisfied:

1. GRADE:— The road shall have a grade of not less than .75% nor more than 5%, except on structures or, in extraordinary cases, where by reason of topography or other unavoidable conditions, the cost of satisfying these limits is prohibitive; but in no case shall the grade be more than 5%.

2. ALIGNMENT AND DIRECTION:— Any subdivision road offered for donation shall be in harmonious relation with the proposed and existing road system in Quezon City, and shall have an alignment acceptable to the City Engineer.

3. BIRTH:— A subdivision road offered for donation shall have a right-of-way that is in accordance with existing ordinances, and shall have a paved width that is not less than six (6) meters. These subdivision roads the widths of which were approved by proper authority prior to the enactment of the ordinance restricting the widths of roads in Quezon City, shall be excepted. In the latter case, the donation shall be considered on its merit.

4. TYPE AND CLASS:— The donation of a subdivision road shall not be considered unless it has been constructed substantially in accordance with the standard specifications of the Bureau of Public Works for "Type A" Unbound Macadam or gravel roads and is well graded and surfaced, thoroughly drained and has properly designed and constructed permanent curbs, gutters and drainage structures. The surfacing of "Type A" macadam roads shall be laid in three courses consisting of a top or finishing course, an intermediate course and a base or foundation course, depending upon the stability of the road bed, intermediate course and top course. The different courses shall be of the same stone graded as follows:

Course	Depth Centimeters	Name and size of Stone aggregate
Foundation	15 cm. to 20 cm.	No. 6. - Width 3" to 5" Depth, 6" to 8", Length, 6" to 15"

	10 cm.	No. 1. - Passing 4-inch and retained on 1-1/2" circular opening, uniformly graded.
mediate Type "A"	7.5 cm.	No. 2. - Passing 2-1/2-inch and retained on 1" circular opening, uniformly graded.
	7.5 cm.	No. 3. - Passing 1-1/2-inch and retained on 3/4-inch circular opening, uniformly graded.
		No. 4. - Screenings passing 3/4-inch circular opening or other approved cementitious material.

The surfacing of a gravel road shall be composed of subgrade foundation and gravel bounded together with sand and clay, or other approved cementitious material. The surfacing shall be laid in three courses as follows:

Course	Depth Compacted	Name and Size of Gravel Aggregate
Foundation	115 cm. to 20 cm.	No. 0 - Width, 3" to 6", Depth, 6" to 8", Length, 6" to 15"
mediate	7.5 cm.	No. 2 - Passing 2-1/2-inch and retained on 1-inch square opening, uniformly graded.
	7.5 cm.	No. 3 + Passing 1-inch and retained on 1/2-inch square opening, uniformly graded.
		No. 4 - Fine gravel, or coarse sand with clay, or other approved cementitious material.

ASPHALT PAVEMENTS:- The donation of macadam or gravel road shall not be considered unless it has been treated with at least a surface treatment of asphalt in accordance with the standard specifications of the Bureau of Public Works for asphalt surface-treating of macadam gravel roads.

REQUIREMENTS OF PLANS:- Plans, profiles, typical sections of subdivision roads offered for donation and details of structures on said roads shall be submitted as so required by the City Engineer.

EXCHANGE OF DEED OF DONATION AND DEED OF GRANT:- The donor shall issue a deed of donation in exchange to the Government a deed of donation and certificates of title of the road to be donated.

the passage.

Unanimously passed, October 14, 1940.

(SND.) THOMAS B. MORRIS
City Mayor

TESTED:

(SND.) J. D. WILLIAMS
City Secretary

THIS COPY:


A. G. ORLING
Record Clerk

END